

PATIO KITS ONLINE

QLD * NSW * VIC * SA * TAS * WA * NT

A division of CGL Industries Pty Ltd

pmo@patiokitsonline.com.au 0480 153 436 www.patiokitsonline.com.au

BONDOR® Ultra Slim Extra Bright 9W LED Down light

Application for indoor or outdoor use in patios

COOL WHITE(Model DL9W4K01) or WARM WHITE (Model DL-pW3k01)

"K" refers to the colour temperature of the light, measured in Kelvin (K)

3k=3000K is considered a "warm white" colour, often described as a soft white or yellowish white.

4k=4000K is considered a "cool white" or "daylight" colour temperature



KIT INCLUSION

1 LED

Ultra slim 25mm low profile die cast heat sink

Low temperature light (42 degrees) for inside Insulated Roofing Panel Core

Light Output: 730 Lumens

LED Trim white with alternative Trim Brushed chrome

120 degree light throw



1x 9w driver with 1.2m flex lead & plug straight into power point or board.
2x DC extension leads each @6m = 12m




Application for indoor or outdoor use in patios

PKO's 9W LED Down light provides an energy efficient lighting solution for your outdoor patio area
only needing 1 every 3rd panel


With up to 35,000 hours of operational use and covered by a
3 year manufacturer's return to base warranty.

NO more that 30mm of core material should be taken out
25mm for the LED & 5mm gap between LED casing and core
LED should not touch Core material
YOU SHOULD NOT BE ABLE TO SEE THE UNDER SIDE OF THE TOP SHEET




HOLE CUTOUT 95mm or 96mm

LEAD push in clip connection (male/female)



TRIM 110mm

WHITE to go with Surfmist, Classic Cream & White under ceiling
Brush Chrome to go with Timber look under ceiling



SOLARSPAN (trapezoid top side profile) 75mm
BEAM RECEIVER 14@4500mm

PATIO KITS ONLINE
QLD * NSW * VIC * SA * TAS * WA * NT
A division of CGL Industries Pty Ltd
pmo@patiokitsonline.com.au 0480 153 436 www.patiokitsonline.com.au

4 LED COOL WHITE



INSULROOF (corrugated top side profile) 50mm
FLYOVER 8@4700mm
6 LEDs WARM WHITE



SOLARSPAN 75mm
4 LED COOL WHITE

